



A circular stamp from the Office of Intellectual Property (OIPÉ). The text "OIPÉ" is at the top, "JC73" is at the top right, "DEC 17 2004" is in the center, and "PATENT & TRADEMARK OFFICE" is at the bottom. The stamp is partially overlapping the "Patent" text in the adjacent block.

~~TRADE~~ Patent of:

)
: Examiner: Steven Ho Yin Loke

)
: Group Art Unit: 2811

$$\vdots$$
$$\vdots$$
$$\vdots$$
$$\vdots$$
$$\vdots$$

) December 17, 2004

R

CERTIFICATE OF CORRECTION

100.00 0P

UNDER RULES 322 AND 323


It is respectfully requested that a Certificate of Correction be issued by the Trademark Office due to errors which appear in the printed patent as a result of the Trademark Office mistakes, and mistakes of a clerical, typographical, or printing nature, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee of the State of California Department of Corrections.

DEC 27 2004

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "J. Krause", written over a horizontal line.

John A. Krause
Attorney for Patentee
Registration No. 24,613

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

467124v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1

DATED : August 31, 2004

INVENTOR(S) : MASAKAZU MORISHITA

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

SHEET 10

FIG. 10, "CONCENTRTION" should read --CONCENTRATION--.

COLUMN 2

Line 14, "parasite" should read --parasitic--.

COLUMN 3

Line 33, "phosphor." should read --phosphorus--.

COLUMN 4

Line 14, " ϵ_s :" should read -- ϵ_s --; and
Line 51, "p⁻-area" should read --p⁺-area--.

COLUMN 5

Line 15, " $V_{th} V_{th}(N_3)$ " should read -- $V_{th} = V_{th}(N_3)$ --; and
Line 54, "phosphor" should read --phosphorus--.

COLUMN 6

Line 36, "An n⁻-area" should read -- \parallel An n⁻-area--; and
Line 45, "n⁻-area" should read --n⁺-area--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

467124v1



DEC 27 2004

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1
DATED : August 31, 2004
INVENTOR(S) : MASAKAZU MORISHITA

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 50, "p" should read --μ--.

COLUMN 8

Line 27, "ondulations" should read --undulations--;
Line 28, "ondulations" should read --undulations--; and
Line 31, "ondulations." should read --undulations.--.

COLUMN 9

Line 23, "can" should read --can be--.

COLUMN 10

Line 3, "phosphor" should read --phosphorus--;
Line 23, "of" should read --of a--; and
Line 32, "reduce" should read --reduces--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

467124v1



DEC 27 2004

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1

DATED : August 31, 2004

INVENTOR(S) : MASAKAZU MORISHITA

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 25, "said" should read --said first--;

Line 29, "second said channel is depicted" should read --said second channel area is depleted--; and

Line 32, "said" should read --said first--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

467124v1

→

DEC 27 2004

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1

DATED : August 31, 2004

INVENTOR(S) : MASAKAZU MORISHITA

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

SHEET 10

FIG. 10, "CONCENTRTION" should read --CONCENTRATION--.

COLUMN 2

Line 14, "parasite" should read --parasitic--.

COLUMN 3

Line 33, "phosphor." should read --phosphorus--.

COLUMN 4

Line 14, " ϵ_s :" should read -- ϵ_s :--; and

Line 51, "p⁻-area" should read --p⁺-area--.

COLUMN 5

Line 15, " $V_{th} V_{th}(N_3)$ " should read -- $V_{th} = V_{th}(N_3)$ --; and

Line 54, "phosphor" should read --phosphorus--.

COLUMN 6

Line 36, "An n⁻-area" should read --¶ An n⁻-area--; and

Line 45, "n⁻-area" should read --n⁺-area--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

467124v1



DEC 27 2004

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1

DATED : August 31, 2004

INVENTOR(S) : MASAKAZU MORISHITA

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 50, "p" should read --μ--.

COLUMN 8

Line 27, "ondulations" should read --undulations--;
Line 28, "ondulations" should read --undulations--; and
Line 31, "ondulations." should read --undulations.--.

COLUMN 9

Line 23, "can" should read --can be--.

COLUMN 10

Line 3, "phosphor" should read --phosphorus--;
Line 23, "of" should read --of a--; and
Line 32, "reduce" should read --reduces--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,784,492 B1

DATED : August 31, 2004

INVENTOR(S) : MASAKAZU MORISHITA

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 25, "said" should read --said first--;

Line 29, "second said channel is depicted" should read --said second channel area is depleted--; and

Line 32, "said" should read --said first--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,784,492 B1

No. of add'l. copies
@ 30¢ per page

